



PORTABLE WINCH - Accessori

Parti per verricelli



10-0042

10-0042

Ricambio per verricello PCH1000 e PCT1800



Install this safety lip on your 57 mm (2-1/4") when using the PCH1000 or PCT1800 for lifting applications. This safety lip will prevent the rope from jumping out of the drum while in use.

CARATTERISTICHE	
Peso	200 g
Diametro	118 mm
Altro	spessore: 7mm
Materiale	alluminio

10-0044

10-0042



Ricambio per verricello PCH1000 e PCT1800

Install this safety lip on your 85 mm (3-3/8") when using the PCH1000 or PCT1800 for lifting applications. This safety lip will prevent the rope from jumping out of the drum while in use.

CARATTERISTICHE	
Peso	200 g
Diametro	127 mm
Altro	spessore: 7mm
Materiale	alluminio

10-0099

10-0099



Gancio in alluminio per fune

This is the hook from where the rope comes out of the winch.

CARATTERISTICHE	
Peso	138 g
Lunghezza	10,6 cm
Larghezza	7,8 cm
Materiale	alluminio

10-0101



10-0101

Ricambio per verricello PCW5000

This pulley keeps the rope in straight line with the capstan drum.

CARATTERISTICHE	
Peso	68 g
Diametro	23 mm
Altezza	20,5 mm
Altro	apertura: 16,5
Materiale	bronzo

10-0103



10-0103

Ricambio per verricello PCW5000

This hook prevents the rope from slipping out of the rope entry pulley when the winch aligns itself with the load.

CARATTERISTICHE	
Peso	103 g
Lunghezza	6,3 cm
Larghezza	5,6 cm
Altezza	5,2 cm
Altro	anello di tenuta: 16,5mm
Materiale	alluminio

10-0119



10-0119

Ricambio per verricello PCW-5000

It holds the rope entry pulley and the rope keeper in position.

CARATTERISTICHE	
Peso	96 g
Diametro	16 mm
Lunghezza	38 mm
Materiale	Acciaio zincato

PCA-1100

PCA-1100

Tamburo guida funi



Use this capstan drum to get the maximum pulling speed of your winch. Easily installed, this drum will allow you to do jobs that require less pulling capacity quicker.

Speed when installed on:

- PCW5000 : 18 m/min (60')
- PCW5000-HS: 36m/min (120')
- PCH1000: 18 m/min (60')
- PCT1800: 10.5 m/min (35')

CARATTERISTICHE	
Peso	800 g
Diametro	85 mm
Lunghezza	7,6 cm
Materiale	alluminio

PCA-1110

PCA-1110

Tamburo guida funi



Use this capstan drum to get the maximum pulling capacity of your winch. Easily installed, this drum will allow you to do jobs at max pull but slower.

Speed when installed on:

- PCW5000 : 12 m/min (40')
- PCW5000-HS: 24 m/min (80')
- PCH1000: 12 m/min (40')
- PCT1800: 7 m/min (23')

CARATTERISTICHE	
Peso	500 g
Diametro	57 mm
Lunghezza	7,8 cm
Materiale	alluminio

PCA-1151

PCA-1151

Parascintille per motori Honda GXH-50



A spark arrestor will prevent carbon deposit from being ejected from the engine and igniting a fire. Spark arrestors are mandatory on some public lands. Please check local regulations. Easily installed with a screwdriver.

Fits on these models:

- PCW5000
- PCW5000-HS
- PCH1000

CARATTERISTICHE	
Peso	10 g
Diametro	17 mm
Lunghezza	4,6 cm
Materiale	involucro imbottito

Fotogalleria

